Your search matched **2875** of **1174497** documents.
A maximum of **100** results are displayed, **25** to a page, sorted by **Relevance** in **Descending** order.

☑ e-mail

Modify Search

((program*<in>metadata) <and> (hardware<in>metadata)) <and> (pyr >= 199

☐ Check to search only within this results set

Display Format:　◉ Citation ○ Citation & Abstract

Select　Article Information　View: **1-25** | 26-50 | 51

☐　1. **Allocation and binding during fault-secure microarchitecture s**
Sokolov, S.; Karri, R.;
Computer Design: VLSI in Computers and Processors, 1994. ICCD
Proceedings., IEEE International Conference on
10-12 Oct. 1994 Page(s):327 - 330
AbstractPlus | Full Text: PDF(400 KB)　IEEE CNF

☐　2. **Production genetic algorithms for automated hardware design t**
evolutionary process
Mizoguchi, J.; Hemmi, H.; Shimohara, K.;
Evolutionary Computation, 1994. IEEE World Congress on Compu
Intelligence., Proceedings of the First IEEE Conference on
27-29 June 1994 Page(s):661 - 664 vol.2
AbstractPlus | Full Text: PDF(368 KB)　IEEE CNF

☐　3. **System-level synthesis using re-programmable components**
Gupta, R.K.; De Micheli, G.;
Design Automation, 1992. Proceedings. [3rd] European Conference
16-19 March 1992 Page(s):2 - 7
AbstractPlus | Full Text: PDF(608 KB)　IEEE CNF

PＯRTAL

USPTO

Search: ◉ The ACM Digital Library   ○ The Guide

+programmable +environment +for +digital +circuits

THE ACM DIGITAL LIBRARY

ⁱ Feedback Report a problem Satisfaction sur

Terms used **programmable environment for digital circuits**   Found **5,033** of 157

Sort results by | relevance ▼ | ● Save results to a Binder   Try an Advanced Search
                                            ？ Search Tips   Try this search in The ACM Guide

Display results | expanded form ▼ | ☐ Open results in a new
                                            window

Results 1 - 20 of 200   Result page: **1** 2 3 4 5 6 7 8 9 10   next
Best 200 shown   Relevance scale ☐ ⊟ ▥

1 A field-programmable mixed-analog-digital array
Paul Chow, P. Glenn Gulak
February 1995 **Proceedings of the 1995 ACM third international symposium on Field-programmable gate arrays**
Full text available: pdf(113.78   Additional Information: full citation, abstract, references, citings,
              KB)   index terms

A novel field-programmable mixed-analog-digital array (FPMA) is proposed, which contains a
field-programmable analog array, a field-programmable digital array, and a mixed-signal interface.
This device is intended to be used for the rapid implementation of mixed-signal circuits. The
resource and architectural requirements for this array are determined by analyzing a set of sample
circuits. The mixed-signal interface is constructed from converter blocks that contain configurable
A/D and D/A ...

2 Pitfalls and safeguards in real-time digital systems with emphasis on programming
W. A. Hosier
March 1987 **Proceedings of the 9th international conference on Software Engineering**
Full text available: pdf(1.98   Additional Information: full citation, abstract, references, citings,
              MB)   index terms

Real-time digital systems are largely a technical innovation of the past decade, but they appear
destined to become more wide spread in the future. They monitor or control a real physical
environment, such as an air-traffic situation, as distinguished from simulating that environment on
an arbitrary time scale. The complexity and rapid variation of such an environment necessitates use
of a fast and versatile central-control device, a role well suited to digital computers. The usual
system w ...

13. Reconfigurable gate array architectures for real time digital signal processing
Liersch, G.; Dick, C.;
Signals, Systems and Computers, 1994. 1994 Conference Record of the
Twenty-Eighth Asilomar Conference on
Volume 2, 31 Oct.-2 Nov. 1994 Page(s):1383 - 1387 vol.2

AbstractPlus
| Full Text:
PDF(448
KB)
IEEE
CNF

IEEE *Xplore*

Welcome United States Patent and Trademark
Office

BROWSE   SEARCH   IEEE XPLORE
GUIDE

Search Results

Results for "((programmable<in>metadata) <and> (gui) <and>
(digital<in>metadata) <..."

Your search matched 2 of 1174497 documents.
A maximum of **100** results are displayed, **25** to a page, sorted by **Relevance** in
Descending order.

» View Session
History

» New Search

» **Key**

IEEE JNL	IEEE Journal or Magazine
IEE JNL	IEE Journal or Magazine
IEEE CNF	IEEE Conference Proceeding
IEE CNF	IEE Conference Proceeding
IEEE STD	IEEE Standard

Modify Search

| ((programmable<in>metadata) <and> (gui) <and> (digital<in>metadata) <and |

☐ Check to search only within this results set

Display Format: ◉ Citation ○ Citation & Abstract

Select   Article Information

☐   1. **A reconfigurable multiprocessor IC for rapid prototyping of a
specific high-speed DSP data paths**
Chen, D.C.; Rabaey, J.M.;
Solid-State Circuits, IEEE Journal of
Volume 27, Issue 12, Dec. 1992 Page(s):1895 - 1904
AbstractPlus | Full Text: PDF(728 KB)   IEEE JNL

☐   2. **On-line measurement and processing of partial discharge acti
visual programming tools**
Mohamed-Nour, H.I.; Pham, L.;
Conduction and Breakdown in Solid Dielectrics, 1995. ICSD'95.,
of the 1995 IEEE 5th International Conference on
10-13 July 1995 Page(s):393 - 397
AbstractPlus | Full Text: PDF(204 KB)   IEEE CNF

Help   Contact l
Securi

© Copyright 20
R:

Indexed by
Inspec

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	214	717/125.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/23 16:15
S2	309	717/106.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/23 16:16
S3	47	("4849880" "4901221" "5109504" "5437464" "5497498" "5535342" "5555201" "5566295" "5583749" "5603043" "5603043" "5652875" "5684980" "5732277" "5784275" "5847955" "6219628" "6226776" "6230307" "6311149" "5541849" "5737235" "5638299" "5309556" "6064409").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/24 14:47
S4	527	716/17.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/23 16:36
S5	838	716/18.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/23 16:36
S6	1133	716/6.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/23 16:37
S7	1148	716/1.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/23 16:37
S8	1037	716/2.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/23 16:37
S9	492	716/3.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/23 16:37

S10	1800	716/4.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/23 16:39
S11	709	715/700.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/23 16:40
S12	264	715/763.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/23 17:02
S13	3	(associative and measurement).as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/23 17:35
S14	15	(reconfigurable and test and system).ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/23 17:36
S15	19	("4849880" | "4901221" | "5109504" | "5437464" | "5497498" | "5535342" | "5566295" | "5583749" | "5603043" | "5652875" | "5684980" | "5784275" | "5847955").PN. OR ("6311149").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/24 12:19
S16	1	"6219628".pn.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/24 12:24
S17	147976	(highlight$3 or (high near2 light$3))	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/24 12:25
S18	1779	(highlight$3 or (high near2 light$3)) same (ui or gui or "user interface") and icon	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/24 12:34
S19	13	(highlight$3 or (high near2 light$3)) same (ui or gui or "user interface") and icon and "graphical development"	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/24 12:26

S20	12	("5237691" | "5517645" | "5642511" | "5745712" | "5760788" | "5805896" | "5850548" | "6014138" | "6016392" | "6226787" | "6298474" | "6385769").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/24 12:28
S21	3	(("5237691" | "5517645" | "5642511" | "5745712" | "5760788" | "5805896" | "5850548" | "6014138" | "6016392" | "6226787" | "6298474" | "6385769").PN.) and icon$6 near3 (highlight$3 or modify$3 or modification or indicat$3)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/24 13:32
S22	3	(("5237691" | "5517645" | "5642511" | "5745712" | "5760788" | "5805896" | "5850548" | "6014138" | "6016392" | "6226787" | "6298474" | "6385769").PN.) and icon$6 near3 (highlight$3 or modify$3 or modification or indicat$3 or chang$3 or alter$5)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/24 12:30
S23	23	("4462046" | "4679137" | "4759074" | "4833624" | "4914567" | "5005119" | "5157663" | "5314055" | "5327350" | "5383110" | "5453933" | "5481712" | "5511147" | "5574828" | "5742504" | "5862372" | "5905649" | "5920479" | "5933353" | "5933638" | "5940296" | "6061602" | "6064759").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/24 12:31
S24	2	(("4462046" | "4679137" | "4759074" | "4833624" | "4914567" | "5005119" | "5157663" | "5314055" | "5327350" | "5383110" | "5453933" | "5481712" | "5511147" | "5574828" | "5742504" | "5862372" | "5905649" | "5920479" | "5933353" | "5933638" | "5940296" | "6061602" | "6064759").PN.) and icon$6 near3 (highlight$3 or modify$3 or modification or indicat$3 or chang$3 or alter$5)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/24 12:34

S25	9	(ui or gui or "user interface") and icon and (specify near3 (clock$3 or cycle or timing or trigger$3 or events or interrupts or traps)) and (graphical$2 adj development)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/24 12:56
S26	0	"6219628.pn",	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/24 12:58
S27	0	"6219628.pn."	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/24 12:59
S28	0	"6219628.pn."	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/24 13:00
S29	2	("6219628").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/24 13:00
S30	1	"6311149".pn.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/24 13:50
S31	11	("4849880" "4827427" "4922432" "4967367" "4970664" "5051938" "5084824" "5164911" "5197016" "5210699" "5036473").pn.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/24 13:52
S32	2	("6181143").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/24 14:47